

Index

- 29 CFR 1910.1450, 11-3
- access tube*
 - neutron probe, 7-9
- accident
 - investigation, 11-1
- accidents, 11-1
- acidic*, 1-9
- adsorption*, 2-15
- aerobic*
 - conditions, 1-6
- AgriMet, 7-11, 7-12
- agronomic rate*, 2-32
- agronomy*, 2-24
- air-purifying respirators, 11-11
- air-supplying respirators, 11-11
- alfalfa, 9-10
- algae growth, 3-5
- alkaline*, 1-9
- alum, 1-10, 2-21
- aluminum oxides, 2-3
- amino acids, 2-22
- ammonia, 1-7, 2-22, 4-2, 4-5
- ammonium, 1-7, 2-15, 2-22, 2-26
- anaerobic*
 - conditions, 1-6
- Annual Report, 12-4
- aquifers*, 3-6
- arsenic, 1-8, 2-25
- ash, 8-2
- available water holding capacity
 - usage, 7-12
- available water-holding capacity (AWC)*, 2-20
- backflow prevention, 12-7
- background sample, 8-6
- barley, 9-10
- bars*, 7-7
- bearings
 - pumps, 6-7
- Bermuda
 - grass, 2-32
- best efficiency point*
 - pumps, 6-5
- best management practice (BMP)*, 9-17
- Best Management Practices (BMPs), 4-8
 - wellhead protection, 4-8
- biochemical oxygen demand (BOD), 1-6
- bleed-off*, 9-24
- blood-borne disease, 11-21
- BOD₅*, 1-6
- boron, 2-27
- breaking tension*, 7-7
- bump cap, 11-4
- cable-tow traveler
 - sprinkler, 6-19
- cadmium, 1-8, 2-25
- calcium, 1-2, 1-7, 1-10, 2-15, 2-16, 2-17, 2-26, 2-27, 2-28, 4-2, 4-3, 4-4
- capillary action*, 3-6
- capillary fringe*, 3-6
- cation exchange capacity (CEC)*, 2-14
- cations*, 1-10, 2-15, 2-16, 2-17, 2-26
- cavitation
 - pump, 6-9
- centibars*, 7-7
- chain-of-custody tape*, 8-14
- characteristics
 - wastewater, 1-1
- charged surfaces
 - coiloids, 2-15
- checkbook method*, 7-10
- chelation*, 2-21
- chemical hygiene plan, 11-3
- chloramines, 4-2
- chloride, 2-27
- chlorination, 4-1
- chlorine
 - demand, 4-2

- measurement, 4-2
- ritual, 4-2
- chlorine contact time*, 5-2
- chlorosis, 2-30
- cholera, 1-5
- class pipe*, 6-14
- classes
 - effluent, 1-10
- clay mineralogy*, 2-15
- clay minerals, 1-10
- clogging mat*, 9-5
- cold weather
 - operations, 9-25
- colloids*, 2-15, 2-16, 2-17, 2-21, 2-23, 2-26, 2-27
- color
 - soil, 2-11
 - wastewater, 1-2
- compaction
 - soil, 2-10
- complexation, 2-21
- composite sample, 8-5
- confined space*, 11-13
- constituent loading rates, 1-13
- construction
 - monitoring well, 3-10
- consumption*, 2-22
- control sample, 8-6
- conversion
 - sodic soils, 9-10
- copper, 1-8, 2-15, 2-24, 2-25, 2-26, 2-27, 2-28, 2-29, 6-12
- coppice*, 9-15
- cotton, 9-10
- cover crops
 - benefits of, 9-11
- crop management, 8-3, 9-11
- crop selection, 9-13
- deficiency*, 2-30
- denitrification*, 2-22
- depression*, 2-13
- depth
 - soil, 2-11
- design point*
 - pumps, 6-5
- design pump capacity*, 6-3
- design pump delivery rate*, 6-3
- diphtheria, 11-22
- discharge rate*, 7-19
- disinfection, 4-1
- dissolved oxygen
 - (DO), 1-6
- distribution
 - of wastewater, 9-23
- domestic wastewater, 1-1
- dosing volume*, 6-4
- draft permit and staff analysis, 12-3
- drainage*, 2-12
- duckweed, 5-4
- duplicate samples, 8-5
- dye tests
 - short-circuiting, 5-7
- dysentery, 1-5
- effective precipitation*, 7-18
- Effective Root Zone*, 7-12
- effluent*, 1-5
 - classes, 1-10
- elimination*, 2-22
- emergency action plan, 9-33
- Emergency Action Plan, 9-32
- end use
 - crops, 9-14
- Environmental Protection Agency
 - EPA, xvii
- equipment blank*, 8-9
- ESP
 - levels, 9-9
- estriptive layer*, 9-4
- eutrophication*, 3-5
- evapotranspiration*, 3-2
- exchangeable cations*, 2-16
- exchangeable sodium percentage
 - ESP, 9-9
- expansive clays, 2-15
- fecal wastes, 1-5
- ferric chloride, 1-10
- field blank*, 8-9
- field capacity*, 2-18
- filterable residue*, 1-4
- fish kills, 3-5
- floodplain*, 2-13
- flushing
 - salt removal, 9-9
- fodder, 1-11, 1-12

- footslope*, 2-13
- freeboard*, 5-1
- gloves
 - chemical labels, 11-6
- goals
 - WLAP, xvii
- grab sample, 8-5
- grasses
 - cool season, 9-14
 - warm season, 9-14
- gravitational water*, 2-18
- Grazing Management Plan, 9-31
- ground water*, 3-5
 - quality, 12-12
 - quality standards, 12-12
- ground water mounding*, 3-8
- Ground Water Quality Rule*
 - IDAPA 58.01.11, 12-1
- growing season*, 1-12
 - (GS), 7-18, 10-8
- gun cart*, 6-19
- gypsum blocks*, 7-8
- hand-off-automatic*
 - (HOA), 6-9
- hard hats, 11-4
- Hazard Communication Standard*, 11-3
- head*
 - pump, 6-2
- Health and Safety Program
 - requirements, 11-1, 11-2
- heavy metal*, 2-25
- hepatitis, 1-5, 4-1, 11-21
- horizon
 - restrictive, 2-11
- horsepower*, 6-2
- Human Immunodeficiency Virus*
 - (HIV), 11-21
- humus
 - soil organic matter, 2-11
- hydraulic conductivity*
 - permeability*, 2-20
- Hydraulic Loading Rate*, 10-4
- hydraulic overload, 9-24
- hydrologic cycle*, 3-1
- hydrology, 3-1
- hydrometer, 2-7
- Idaho Board of Drinking Water and Wastewater Professionals*, 12-16
- Idaho Bureau of Occupational Licenses*
 - IBOL, 12-2
- Idaho Division of Building Safety, 11-1
- IDAPA 58.01.17, 1-15, 2-32, 3-13, 4-9, 5-7, 6-24, 7-24, 9-36, 10-16, 11-23, 12-1, 12-2, 12-18
- IDAPA 58.01.17, 12-1
 - wastewater land application permit
 - rules, 1-10
- immobilization*, 2-22
- immunizations, 11-22
- incident reporting, 11-2
- industrial wastewater, 1-1
- infiltration*, 2-17
- injuries, 11-1
 - skin, 11-9
- ion exchange*, 2-21
- ions, 2-15
- iron, 1-2, 1-7, 2-3, 2-11, 2-15, 2-24, 2-26, 2-27, 2-28, 2-29, 6-12, 6-13, 6-14
- irrigation rate*, 7-19
- irrigation system efficiency*, 7-18
- Irrigation Water Requirement*
 - (IWR), 1-12, 10-8
 - definition of, 7-18
- Kevlar®, 11-7
- Laboratory Standard*, 11-3
- land limiting constituent*
 - (LLC), 7-16
- land limiting nutrient*, 8-2
- landscape position, 2-13
- lane spacing*, 6-20
- leaching
 - definition, xvii
- lead, 1-8, 2-25, 2-29, 6-8
- licensure, 12-1
- limestone, 2-27
- limiting factors*, 2-25
- liners
 - lagoons, 5-2
- loam*, 2-6, 2-19
- lockout*, 11-15
- logbook, 9-32
- low rate pumping, 8-10
- macronutrients*, 2-24

- macropores*, 2-7
- magnesium, 1-7, 2-15, 2-24, 2-26, 2-27, 2-28, 6-13
- maintenance requirements
 - crops, 9-14
- major modifications
 - permit, 12-6
- management
 - of system components, 9-25
- manganese, 1-8, 1-10, 2-24, 2-26, 2-27, 2-28, 2-29
- master horizons, 2-3
- material safety data sheets* (MSDS), 11-3
- maximum hydraulic loading rate*, 7-18
- mercaptans*, 1-2
- mercury, 1-8, 2-25
- microbial activity
 - wastewater, 1-3
- micronutrients*, 2-24
- micropores*, 2-8
- microtopography*, 2-14
- milliequivalents* (meq), 10-11
- mineralization*, 2-22
- minor modifications
 - permit, 12-6
- modification
 - of permit, 12-6
- moisture blocks*. *See* gypsum blocks
- molybdenum, 1-8, 2-24, 2-25, 2-27, 2-28, 2-29
- monitoring
 - ground water, 3-9
- monitoring wells
 - locating, 3-9
 - requirements, 12-13
- most recent mature leaf* MRML, 8-3
- mottling*, 2-12
- mucks, 2-3
- Munsell system
 - color determination, 2-12
- National Cooperative Soil Survey, 2-3
- National Pollutant Discharge Elimination System* (NPDES), 12-2
- Natural Resource Conservation Service* (NRCS), 2-20
- Net Irrigation Requirement* (IR), 10-8
- neutron probe, 7-9
- nickel, 1-8, 2-25
- nitrate, 1-7, 1-13, 2-22, 2-26, 2-27
- nitrite, 1-7, 2-22
- nitrogen, xix, xxv, 1-7, 1-8, 1-11, 1-13, 2-11, 2-15, 2-18, 2-22, 2-24, 2-26, 2-27, 2-28, 4-2, 10-1
- nitrogen cycle, 1-7
- nonfilterable residue*, 1-4
- non-growing season*, 1-12 (NGS), 10-9
 - hydraulic loading rate, 10-9
- notice of completeness*, 12-3
- notice of incompleteness*, 12-3
- nutrient*, 1-6
- nutrient deficiency*, 8-2
- nutrient management
 - best management practices, 9-18
- nutrient management plan*, 2-31
- nutrient requirements
 - crops, 9-13
- nutrient toxicity*, 8-2
- O&M Manual, 9-30
- Occupational Exposure to Hazardous Chemicals in Laboratories Standard*, 11-3
- Occupational Safety and Health Administration (OSHA), 11-1
- odor
 - wastewater, 1-2
- Odor Management Plan, 9-31
- oil and grease
 - effects of, 9-10
- operations and maintenance, 9-1
- Operations and Maintenance (O&M), 9-30
- Operations and Maintenance (O&M) (O&M), 12-2
- Operations and Maintenance Manual, 9-2
- operator requirements
 - Class A, 12-8

- organic matter, 2-11
- organic nitrogen, 1-7
- oven dry, 2-18
- overseed, 9-14
- oxygen levels
 - depletion of due to eutrophication, 3-5
- ozone
 - disinfection, 4-1
- passing score
 - WLAP operator examination, 12-16
- pathogens*, 1-5
- peats, 2-3
- peds
 - soil structure, 2-9
- penalties
 - permit violations, 12-7
- perch, 2-8
- perched water table*, 3-7
- permanent wilting point*, 2-19
- permeability*, 2-17
- permit
 - requirements, 12-5
- permit application process, 12-2
- permit-required confined space*, 11-13
- persistent organic chemicals*, 1-9
- personal protective equipment (PPE), 11-2
 - required, 11-4
- pH, 1-9, 2-14
- Phene cell, 7-9
- phosphorus, xix, xxv, 1-7, 1-8, 1-13, 1-14, 2-11, 2-15, 2-24, 2-27, 2-28, 2-29, 2-32, 3-5, 10-1
- photosynthesis, 2-25
- pipe
 - aluminum, 6-13
 - asbestos, 6-13
 - cast iron, 6-12
 - cleanouts, 6-14
 - concrete, 6-12
 - ductile cast iron, 6-13
 - PVC, 6-13
 - schedules, 6-13
 - steel, 6-12
- piping
 - systems, 6-12
- Plan of Operation. See O&M Manual*
- Plan of Operation Checklist*, 9-30
- plant available water content*, 2-17 (PAW), 2-19
- plant nutrients
 - insufficiency, 9-12
- plant tissue sampling, 8-2
- plant tolerance
 - saline and sodic soils, 9-8
- point sources, 9-17
- polio, 1-5
- pollutants
 - surface water, 3-5
- ponding*, 3-5
- pore space, 2-1
- portable pump
 - sampling with, 8-11
- potassium, 1-7, 1-10, 2-15, 2-24, 2-26, 2-27, 2-29, 2-32
- precipitation, 3-1
- preliminary decision, 12-3
- pressure, 6-2
- pressure pipe*, 6-14
- priority nutrient, 8-2
- problems
 - soil related, 9-2
- protective headgear
 - care of, 11-5
- proteins, 2-22
- pump curve, 6-4
- pump delivery rate efficiency*, 6-4
- pumps
 - centrifugal, 6-5
 - control panels, 6-9
 - diaphragm, 6-6
 - peristaltic, 6-6
 - reciprocating, 6-6
 - submersible, 6-6
 - turbine, 6-6
- purging
 - well, 8-10
- putrification*, 3-5
- quartz, 2-3
- recordkeeping, 9-32
 - injuries and illnesses, 11-2
- respirators
 - types, 11-11
- Responsible Charge*

- (RC), 12-14
- Responsible Charge Operator*, 12-14
- restrictive horizon*, 2-11
- ridgetop*, 2-13
- riprap, 5-1
- rules
 - wastewater, 12-1
- Rules of the Board of Drinking Water and Wastewater Professionals*
 - IDAPA 24.05.01, 12-1
- runoff*, 3-4
- rye, 9-10
- safety awareness, 11-1
- safety orientation, 11-2
- salt removal
 - flushing, 9-9
- salts
 - effect on plant growth, 9-7
- salt-tolerance
 - grasses and legumes, 9-10
- sample aliquot, 8-6
- sample collection
 - kits, 8-8
- sample size
 - leaves, 8-3
- sampling, 8-1
 - special handling procedures, 8-13
- SAR
 - sodium adsorption ratio, 2-14
 - upper level, 9-8
 - values, 9-8
- saturated zone*, 3-5
- selenium, 1-8, 2-25
- self-contained breathing apparatus* (SCBA), 11-11
- shingellosis, 1-5
- short-circuiting*, 5-2
- shoulder slope*, 2-13
- shrink/swell clays*, 2-15
- sieve, 2-7
- skin injuries, 11-9
- slope
 - steepness, 2-13
- sodic*, 2-17
- sodic soils
 - conversion, 9-10
 - effects on plants, 9-7
- sodium, xx, 1-10, 2-14, 2-17, 4-2, 4-3
- sodium adsorption ratio* (SAR), 1-10, 9-8, 10-11
- soil
 - profiles, 2-2
- soil compaction*, 2-10
- soil erosion*, 3-4
- soil horizons*, 2-2
- soil series*, 2-4
- soil structure*, 2-9
- soil testing, 8-1
- solids
 - wastewater, 1-3
- soluble salts*, 1-10
- sorghum, 9-10
- sources
 - domestic, 1-1
 - industrial, 1-1
- split sample, 8-5
- sprinklers, 6-16, 6-17
- standards
 - ground water quality, 12-12
- stuffing boxes*
 - pumps, 6-7
- Substitute Responsible Charge Operator*, 12-14
- subsurface drainage, 3-8
- sufficiency*, 2-30
- suitability
 - ground water, 12-12
- sulfur, 1-2, 1-7, 2-11, 2-15, 2-24, 2-27, 2-29
- suspended solids
 - (SS), 1-4
- sweet clover, 9-10
- tagout*, 11-15
- temperature
 - wastewater, 1-3
- tensiometer, 7-7
- tetanus, 11-21, 11-22
- Textural Triangle, 2-5
- thrust block, 6-14
- tillage, 9-6
- time domain reflectometer*, 7-10
- topography, 2-13
- total application depth*, 7-19
- total coliform bacteria*, 1-5

- Total Dissolved Solids
 - ground water, 12-13
- Total Kjeldahl nitrogen*
 - TKN*, 1-7
- total phosphate*, 1-8
- toxicity*, 2-30
- training
 - WLAP operator, 12-16
- transpiration*, 3-2
- treatment requirements
 - Class A, 12-8
- trees
 - as receiver crop, 9-15
- trip blank*, 8-9
- troubleshooting*, 9-21
- turbidity*, 3-4
- types
 - waste, 1-2
- typhoid, 1-5
- Typical Crop Uptake*, 2-32, 10-15
- ultraviolet radiation
 - disinfection, 4-1
- United States Department of Agriculture (USDA), 2-5
- unsaturated zone*, 3-5
- upland*, 2-13
- valve, 6-15
 - air relief, 6-16
 - bleeder, 6-16
 - butterfly, 6-15
 - check, 6-16
 - gate, 6-15
 - globe, 6-16
 - plug, 6-15
 - pressure relief, 6-16
 - solenoid, 6-16
- vectors*, 3-5, 5-3, 7-13, 11-23
- viruses
 - adsorption, 2-21
- volatilization*, 2-22
- waivers
 - permit requirements, 12-7
- Waste Solids Management Plan, 9-31
- wastes
 - inorganic, 1-2
 - organic, 1-2
 - radioactive, 1-2
 - thermal, 1-2
- wastewater land application
 - WLAP, xvii
- water hammer*, 6-9
- Water Quality Standards and Wastewater Treatment Requirements*
 - IDAPA 58.01.02, 12-1
- water table*, 3-5
- water-tolerant
 - grasses, 9-14
- well
 - purging, 8-10
- wetness*, 2-12
- zinc, 1-8, 2-15, 2-24, 2-25, 2-26, 2-27, 2-28, 2-29